


Prepared By:

Frontier Institute of Ophthalmology








These guidelines will help you understand if you are a suitable candidate for the SMILE PRO procedure.

SMILE PRO

FOR THE FIRST TIME IN PAKISTAN VISUMAX 800



SMILE PRO

On April 4, 2024, FIO Hospital in Peshawar introduced the SMILE Pro (Small Incision Lenticule Extraction) the latest laser vision correction machine from ZEISS, a renowned German manufacturer. This cutting-edge technology, now available in Pakistan for the first time, uses advanced AI to treat conditions like nearsightedness and astigmatism with exceptional precision and efficiency. SMILE Pro offers a superior alternative to traditional LASIK, providing patients with faster recovery times and enhanced vision correction outcomes.



FIO Hospital in Peshawar has successfully treated numerous patients using the SMILE Pro machine, and they are now enjoying their lives without the need for glasses. This advanced ZEISS technology has given these patients the freedom of clear vision, offering precise and effective treatment for nearsightedness and astigmatism. The quick recovery times and outstanding results have made SMILE Pro a game-changer in the field of vision correction.



CONSULTATION

You will have a detailed eye examination with your eye surgeon to confirm if SMILE Pro is suitable for you. Be honest about your medical history and any eye conditions you have.

PREPARATION

Stop Wearing Contact Lenses

You may need to stop wearing contact lenses for a few days to a few weeks before the surgery, depending on your surgeon's advice.

Avoid Makeup and Creams

On the day of surgery, avoid wearing makeup, creams, or perfumes as they can interfere with the procedure.

Medications

Your doctor may prescribe antibiotics or antiinflammatory eye drops to start using a day or two before the surgery.

ON THE DAY OF THE PROCEDURE

Arrive Early:

Arrive at the clinic on time, usually with someone who can drive you home after the procedure.

Dress Comfortably:

Wear loose, comfortable clothing and avoid strong perfumes or colognes.

Pre-Procedure Prep:

Your eye will be numbed with anesthetic eye drops, so you won't feel any pain during the procedure.



DURING THE PROCEDURE


The Process

The SMILE Pro procedure typically takes about 10-15 minutes per eye.

You will lie down on a comfortable bed, and the surgeon will position your eye under the laser.

A small incision is made with a laser to create a lenticule (a tiny piece of tissue) inside the cornea.

The surgeon removes the lenticule through the incision, which reshapes your cornea and corrects your vision.







Stay Calm

The laser will make a clicking sound, but this is normal. Try to stay relaxed and follow the surgeon's instructions.

AFTER THE PROCEDURE

Immediate Recovery

You might experience mild discomfort, watering, or light sensitivity for a few hours after the procedure. This is normal.

Rest your eyes for the remainder of the day.

Follow-Up Care:

You will have a follow-up appointment the next day to ensure your eyes are healing well.

Use the prescribed eye drops as instructed to prevent infection and aid in healing.

Protect Your Eyes:

Avoid rubbing your eyes for the first week.

Wear protective sunglasses when going outside, especially during the first few days.

Resuming Activities:

You can typically return to normal activities within a day or two, but avoid swimming, heavy exercise, or dusty environments for about a week.

ELIGIBILITY FOR SMILE PRO

Not everyone is a candidate for SMILE Pro. Below are the key criteria to determine if you might be eligible:

Age

You should be at least 18 to 40 years old. Vision should be stable for at least a year before the procedure.

Vision Prescription

Nearsightedness (Myopia): Generally, you should have a prescription between -1.00 to -10.00 diopters.

Astigmatism: Can also be treated if it's within a certain range, usually up to -5.00 diopters.

Stable Vision

Your prescription should have been stable (no significant changes) for at least one year.

Corneal Thickness

The cornea should be thick enough to safely undergo the procedure. SMILE Pro is less invasive than some other laser surgeries, but adequate corneal thickness is still necessary.

Eye Health

Your eyes should be generally healthy. Conditions like keratoconus, severe dry eyes, or infections may disqualify you.

Overall Health

Certain systemic conditions like autoimmune diseases, uncontrolled diabetes, or pregnancy may affect healing and could make you ineligible.

Realistic Expectations

You should have realistic expectations about the outcomes. SMILE Pro can significantly reduce dependence on glasses or contacts, but perfect vision is not guaranteed.

Previous Eye Surgeries

If you've had previous eye surgeries, especially corneal procedures, this may impact your eligibility. Your surgeon will assess this during the consultation.

NOT ELIGIBLE FOR SMILE PRO

Very High Prescriptions:

If your prescription is too high, SMILE Pro might not be the best option, and other corrective surgeries may be recommended.

Pregnancy and Nursing

Hormonal changes during pregnancy and nursing can affect your vision and healing, so it's recommended to wait until after this period.

Certain Eye Conditions

Conditions like severe dry eyes, cataracts, glaucoma, or retinal problems may make you ineligible.

سمائل پرو

سمائل پروایک جبدید طسریق ہے جس کے ذریعے آئکھوں کی بینائی کو بہتر کسیاحباتا ہے اور عینک عینک یاکانٹیکٹ لینز کی ضرورت کو جستم کسیاحباسکتا ہے۔ سے طسریق کاربہت ہی مؤثر اور محفوظ ہے اسس کے ذریعے مسریض کی آئکھ یں چند سینڈ زمسیں ہی ٹلیک ہو جباتی ہیں اور عینک کی ضرورت حنتم ہو حباتی ہے۔ اسس عمل کے دوران آئکھ کے اندر چھوٹا ساچی رالگاکر مخصوص ٹشو کو ہٹایا جب تا ہے، جس سے بینائی بہتر ہو حباتی ہے۔ سمائل پرومسیں کوئی بڑاز حنم نہیں بنتا، جس کی وحب سے اسس مسیں پیچید گیاں بھی کم ہوتی ہیں اور آئکھ حبلد نارمسل ہو حباتی ہے۔

پر و سے پہلے

• مشاور …

آپ کا آنکھوں کے سے جن کے ساتھ تفصیلی معیائٹ ہوگا تاکہ سے معیلوم کیا جبا سے کہ سمائل پروآپ کے لیے مناسب ہے یانہیں۔

• كانتيكك لينزكا استعال بندكري

آپ کو سرحبری سے چیند دنوں سے لے کر چیند ہفتوں تک کانٹیکٹ لینز بہننا بند کرنا پڑ سکتا ہے،جو آپ کے سرجن کی ہدایات پر منحصسر ہے۔

• میک اپ اور کر پینسر سے پر ہسنز

سرحبری کے دن، میک اپ، کریمنر، یا پرفنیوم استعال کرنے سے گریز کریں کیونکہ ب پروسیجر مسیں رکاوٹ ڈال سے ہیں۔

• ادویات

آ پے کے ڈاکٹ رآپ کوسسر حبری سے ایک یادودن پہلے اپنٹی بایوٹک یااینٹی انفلامسیٹری آنکھوں کے قطسرے استعال کرنے کی تجویز دیے سکتے ہیں

پروسیجر کے دن

• وقت پر جہنجی ا

ہسپتال وقت پر آئیں کسی ایسے بندے کے ساتھ جو آپ کو پر وسیجر کے بعد گھر چھوڑ سکے۔

• آرام دہ کیٹرے ہوئیں

آرام دہ کپٹرے پہنیں اور تنیز خوت بوسے گریز کریں۔

• پروسیجر کی شیاری

پروسیجر سے پہلے آپ کی آنکھوں مسیں ایسے قطسرے ڈالے حبائیں گے جس کی وحب سے کسی قشم کی تکلیف محسوس نہیں ہوگی۔

یروسیجر کے دوران

ممسل

سمائل پرو کاعمل عسام طور پر ہر آنکھ کے لیے تقت ریباً 10-15منٹ لیتا ہے۔

مسریض کو آرام دہ بستر پر لیٹادیاحب تاہے۔اور سسر جن آپ کی آنکھ کولسینزر کے پنچے رکھے گا۔

ایک چھوٹا ساکٹ لینٹرے ذریعے بنایاحباتا ہے تاکہ قورنیہ کے اندر ایک لِمنٹیکل (ایک چھوٹا ساٹشو کا ٹکڑا) تیبار کیا حبالے۔

سسر جن کو دوبارہ سنے کے ذریعے کینٹیکل کو نکال دیت ہے،جو آپ کی قور نیپ کو دوبارہ سنے کل دیت ہے اور آپ کی بین ائی کو در سن کرتاہے۔

برامن ربین

لیے زر کلک کی اپنی ایک آواز ہوتی ہے، کیٹن سے معمول کی بات ہے۔ آرام دور ہنے کی کوشش کریں اور سے جن کی ہدایا ہے پر عمسل کریں۔

• فنالوات كيير

آپ کوا گلے دن منالوا ہے اپوائٹٹمنٹ کے لیے بلایا حبائے گا تاکہ ہے۔ یقینی بنایا حبا سے کہ آپ کی آنکھیں صحیح طسریقے سے تھیک ہورہی ہیں۔ دیئے گئے آنکھول کے قطسرے ہدایات کے مطبابق استعال کریں تاکہ انفیکشن سے بحیاحبا سے

• اینی آنکھوں کی حف ظے کریں

باہر حباتے وقت حف ظلتی سن گلاسٹزیہنیں، حناص طور پر پہلے چیند دنوں مسیں

• سرگرمیان دوباره شروع کرنا

آب عسام طور پر ایک یا دو دن کے اندر معمول کی سسر گرمیادوبارہ واپس سشروع سکتے ہیں، کسیکن ایک ہفتے کے لیے تئیسرنا، بھساری ورزسٹس، یا دھول بھسری حبگہوں سے گریز کریں۔

• بینائی کی بہتری

آپ کی بینائی پہلے چیند دنوں کے لیے دھندلی سنتی ہے، کسیکن ایک دودن مسیں بالکل ٹھیک ہو حبائے گی

سمائل پروکے لئے اہلیہ۔۔

ہر کوئی سمائل پروکے لیے اہل نہیں ہوتا۔ ینچے کچھ اہم سٹرائط ہیں جن سے بیت حیل سکتا ہے کہ آپ سمائل پروکرواکتے ہیں یانہیں۔

آپ کی عمسر کم از کم 18 سال ہونی حیاہیے۔ اسس عمسل سے پہلے آپ کی نظسر کم از کم ایک سال کے لیے مستحکم ہونی حیاہیے۔

• نظر کانسخب

مت ریب کی نظر (مایوپیا): عسام طور پر ، آپ کانسخب-1.00 سے-10.00 ڈائیوپیٹ کے در میان ہوناحیا ہے۔

استیگهانزم: اگریبه مخصوص حسد مسیں ہو تواسے بھی عسلاج کیا حب سکتا ہے، عسموماً -5.00 ڈائیوپٹ ر تک۔

> • مستخام نظیر آپ کانسخت کم از کم ایک سال تک مستخام (کسی بڑی تنبدیلی کے بغیبر) ہونا حیا ہیے۔

• آنگھوں کی صحب۔

آپ کی آنگھیں عبومی طور پر صحت مند ہونی حیاہئیں۔ جیسے کہ کیسرا توکونز، مشدید خشک آپکھیں، یاانفیکشن حبیسی حیالتیں آپ کونااہل کر سکتی ہیں۔

• خفقی توقعیات

آپ کو حقیقت پسندان توقعات رکھنی حپاہئیں۔سمائل پر ووعیت کوں یا کانٹیکٹس کی ضرور سے کم کر سکتا ہے، لیکن مکمسل نظسر کی صنمانت نہیں ہے۔

• پچھلی آگھوں کی سرحبری

اگر آپ نے پچھلی آئکھوں کی سسر حبری کروائی ہے، حناص طور پر متسر نیے کی سسر حبری، تو یہ آپ کی اہلیت پر اثر انداز ہو سستی ہے۔ آپ کا سسر جن اسس کا حبائزہ مشاور سے دوران لے گا۔

سمائل پروکے لئے نااہل

• بهت زیاده عینک کانمبر

گر آپ کا عینک کا نمب بہت زیادہ ہے توسمائل پروو سٹاید بہترین انتخناب سے ہو، اور دوست کی استرین انتخناب سے ہو، اور دوستری اصلاحی سرحبریاں تجویز کی حباستی ہیں۔

• نظر به الأونا

اگر آیکی عینک کانمسراب بھی تبدیل ہورہاہے، تو بہتر ہے کہ آپ انتظار کریں جب تک آپ کی نظر مستحکم نے ہوجبائے۔

• چھ آ تھوں کی حالت بیں

ت دید خشک آنگھیں، مونتیا، گلوکوم، یاریٹینل مسائل حبیبی حسالتیں آپ کو نااہل بنا سکتی ہیں۔

• حمل اور دودھ پلانے والی خواتین

مسل اور دودھ پلانے کے دوران ہار مونل تب دیلیاں آپ کی نظسر اور شفایابی پر اثر انداز ہو سسکتی ہیں، اسس لیے انتظار کرنا بہترہے۔



Frontier Institute of Ophthalmology

Opposite Hayatabad Medical Complex, Phase 4 Peshawar



